

## ELECTROMAGNETIC UNIFICATION, ELECTRONIC CONCEPTION OF THE SPACE, THE ENERGY AND THE MATTER

This paper came after our previous work entitled Quantized Space Theory (QST) published in September 1994. In this paper we have stated that the space should be considered as a “physical being”, moreover the physical being that is the base from which all physical phenomena are brought into existence.

The following paragraphs expose briefly the results of our experimentation, our studies and analysis over all experimental data and over the laboratory experimentation.

However we are still working on theoretical and experimental research with the aim of developing some applications and of understanding the unifying key for the physical laws of nature.

In the research for an unifying theory of QST new categorization should be introduced. The physical space is not only the vacuum but a mean, it is the result of the energy transfer from the electromagnetic waves that had and that are passing through it. This statement has as a consequence that the matter is a stationary electromagnetic wave on local equilibrium with the space.

The first logical step in the QST is the establishment of a connection between the quantization of energy and the quantization of the physical space. From the quantum of action given by Plank's constant ( $h$ ) we have hypothesized a reation quantum, equal and opposite to the energy quantum, from which the physical space is born.

Besides this evidence, it has been stated also that resonance is the mechanism that interacts with the space to give birth to physical matter. Our axioms are:

- [.1] Space is the basic element that forms matter
- [.2] The space resonance is the dynamical mechanism which brings matter into existence
- [.3] The electron is a stationary wave that oscillates at the natural frequency of the space (Electron's Compton frequency)
- [.4] The resonance of the physical space is redundant, and then a proton (first nucleon, hydrogen atom) is the consequence of the resonance of the electron
- [.5] The resonance of the electron in its natural frequency and in its following harmonics (double, triple, etc.) gives birth to the nuclei and the isotopes of the chemical elements

Under these axioms the matter is seen as condensed, compressed space in resonance. It should be pointed out that we are not intending to reintroduce the Greek concept of ether.

The physical space is not seen as a form of matter, but its response to a dynamical excitation along with the resonance mechanism permits an elegant description of the physical reality without any dualism.

The dualism matter-wave could be solved from Maxwell evidence. The electric and magnetic properties of the space are only related in the dynamic mode.

The dynamic link between the electric and magnetic fields gives room to a resonance frequency, more properly to a place and volume in the space where the born and derivate magnetic fields curve the space.

This link auto-support and traps in resonance the electric perturbation that generates the electron.  
( first resonance)

What is the resonance phenomena?

In this paper resonance is defined as the behaviour obtained when the energy emitted from one structure is auto-accumulated and a stationary wave is generated.

A stationary wave comes from the resonance phenomena but it requires a structure that conserves its dynamism. The cause (wave) and the resonant structure (matter) are respectively content and container. In the container the content flows.

A typical example is the electrical circuit LC where two parameters, inductance and capacity permit the existence of a stationary wave.

When a resonance phenomena occurs, it is not always necessary to have a structure (matter) that supports the wave.

There are some cases when the space resonates and auto-structure itself and behave as a physical matter.

Some background

It is well known that if a particle charged  $q$  is thrown with velocity  $v$  in a certain region of the space where a constant magnetic field  $B$ , orthogonal to the velocity vector, is present, the force (given by Lorentz) is:

$$[1] \quad F = qvB$$

Then, from Newton's second law:

$$[2] \quad F = m|a| = \frac{mv^2}{T} = qvB$$

Then, the trajectory of the particle will have a radius  $r$ :

$$[3] \quad r = \frac{mv}{qB}$$

It should be noted that the frequency of circular movement is a constant, that means that a charged particle passes through the same point in the space in the same period of time no matter its velocity. Infact, if the particle velocity is given by:

$$(4) \quad v = \frac{s}{t} = \frac{2\pi \cdot r}{T}$$

by substituting we obtain

$$(5) \quad T = \frac{2\pi \cdot r}{v} = \frac{2\pi \cdot m}{qB}$$

$$(6) \quad f = \frac{1}{T} = \frac{qB}{2\pi \cdot m}$$

This frequency is called Larmor frequency.

This background could be used to place the QST, given that the structure of the electron has never been found and hypothesizing that the electron is a small oscillator. We can calculate its Larmor frequency and conclude that:

The electron is a cyclotron of itself

In order to calculate the frequency of the electron-cyclotron the magnetic field B that acts on the electron charge is given by:

$$(7) \quad B = \frac{\mu_0 I}{2\pi \cdot r}$$

Where  $2\pi r$  is the trajectory of the electron. The current I is given by:

$$(8) \quad I = \frac{q}{t} = \frac{1.602 \cdot 10^{-19} C}{8.093 \cdot 10^{-21} s} = 19.795 A$$

Where t is the time taken by the charge of the electron to rotate around itself.

Using all this information the magnetic field B is given by:

$$(9) \quad B = \frac{\mu_0 I}{2\pi \cdot r} = \frac{12.566 \cdot 19.795 A}{2.818 \cdot 10^{-15} m} = 1.405 \cdot 10^9 \text{ Tesla}$$

Using this value of B in equation number (3) and making the velocity of rotation of the electron C (the velocity of light) we obtain:

$$(10) \quad r = \frac{mv}{qB} = \frac{9.109 \cdot 10^{-31} \text{ Kg} \cdot 2.998 \cdot 10^8 \text{ ms}^{-1}}{1.602 \cdot 10^{-19} C \cdot 1.405 \cdot 10^9 T} = 1,213 \cdot 10^{-12} m$$

We can see from this equation that the radius of the electron trajectory is half the Compton wave length for the electron and  $1/2\alpha$  the classical circumference of the electron.

Let's remember that the fine structure constant  $\alpha$  (named also Sommerfeld's constant) is the ratio of the velocity of the electron in the first orbit of the hydrogen atom and the velocity of light C. Thus, the previous result constitutes a redundancy of the physics of electrons inside an atom.

### Physical properties of the space

To better understand the physical reality of the space we can begin from three well known properties:

$$(11) \quad Z_0 \mu_0 \epsilon_0$$

radiation impedance, magnetic permeability and permittivity of the vacuum.

The impedance of the vacuum is given by:

$$(12) \quad Z_0 = \sqrt{\frac{\mu_0}{\epsilon_0}} = 376.73 \Omega$$

and the electric resistance formula of a given material is:

$$(13) \quad R = \rho_0 \frac{l}{S}$$

Let's try and link this last formula to the impedance of the vacuum. Since neither  $\rho_0$  nor  $l$  nor  $S$  are known, let's begin our approach from the capacity of a capacitor that has the vacuum as dielectric material:

$$(14) \quad C = \frac{q}{V} \text{ dove } V = R \cdot I$$

We obtain for the capacity

$$(15) \quad C = \frac{q}{q \cdot f \cdot \rho_0 \frac{l}{S}} = \frac{q}{q} \cdot \frac{1}{\rho_0} \cdot \frac{S}{l} \cdot \frac{1}{f}$$

But the capacity is given also by

$$(16) \quad C = \epsilon_0 \frac{S}{d}$$

Let's now focus our attention on these last two formulas which show two faces of the same phenomenon. Let's equal them to each other and assume also that the section of the conductor is equal to the surface of the capacitor and that the length of the conductor is equal to the distance between the electrodes. Thus we obtain

$$(17) \quad \rho_0 = \frac{1}{\epsilon_0 \cdot f}$$

This equation has only one parameter  $f$  (a frequency). This frequency is associated in this paper to the Compton frequency of the electron and it constitutes the resonance frequency of the physical space.

The value of  $\rho_0$  could be calculated also from Compton's electron wave length, the velocity of the light and the permittivity of the vacuum:

$$(18) \quad \rho_0 = \frac{1}{\epsilon_0 \cdot f} = \frac{\lambda_e}{\epsilon_0 \cdot c} = 9.1406 \cdot 10^{-10} \Omega \cdot m$$

This equation could be seen as the first step for a new physical space paradigm. The space seen from the electronic point of view.

The mentioned resistivity of the space could not be considered static. If it were static, it could be measured with a common ohmmeter. Conversely this resistivity of the space appears when a variable electric or magnetic field is present in the space.

We can use the resistivity of the vacuum in order to calculate a resistance. If we divide  $\rho_0$  by twice the electron wavelength (classic radius) we obtain the electron impedance  $25812.807 \frac{1}{2}$ . If, on the contrary, we divide  $\rho_0$  by the electron wavelength (Compton radius) we obtain the vacuum space impedance  $376.73 \frac{1}{2}$ .

Let's see the dimension of the mentioned properties.

$$(19) \quad \rho_0 = \Omega \cdot m = \frac{Kg \cdot m^2}{s^3 \cdot A^2} \cdot m = \frac{Kg \cdot m^3}{A^2 \cdot s^3}$$

It could be seen also as:

$$(20) \quad \rho_0 = \frac{m \cdot c^3}{I_\rho^2}$$

For the permittivity of the vacuum:

$$(21) \quad \epsilon_0 = \frac{F}{m} = \frac{A^2 \cdot s^4}{Kg \cdot m^3}$$

or:

$$(22) \quad \epsilon_0 = \frac{I_\epsilon^2}{m \cdot c^3 \cdot f}$$

And for the magnetic permeability

$$(23) \quad \mu_0 = \frac{H}{m} = \frac{Kg \cdot m^2}{s^2 \cdot A^2} \cdot \frac{1}{m} = \frac{Kg \cdot m}{s^2 \cdot A^2}$$

or:

$$(24) \quad \mu_0 = \frac{m \cdot \lambda \cdot f}{I_\mu^2} = \frac{m \cdot c^2}{\lambda \cdot I_\mu^2}$$

It could be noted that all currents are given by

$$I_\rho = \sqrt{\frac{m \cdot c^3}{\rho_0}}$$

$$I_\mu = \sqrt{\frac{m \cdot c^2}{\lambda \cdot \mu_0}}$$

$$I_\epsilon = \sqrt{\epsilon_0 \cdot m \cdot c^3 \cdot f}$$

From these equations, using the mass, the wavelength and the frequency of the electron we can obtain the same value of current:

$$(26) \quad \begin{aligned} I_\rho &= 163.866 \text{ Ampere} \\ I_\mu &= 163.866 \text{ Ampere} \\ I_\epsilon &= 163.866 \text{ Ampere} \end{aligned}$$

These currents, that we can call space currents, are stationary currents in the quantum of the space that determinate the existence of the electron.

It is interesting to notice that equating two different currents we obtain:

$$(27) \quad I_\rho = I_\mu$$

$$\sqrt{\frac{m \cdot c^3}{\rho_0}} = \sqrt{\frac{m \cdot c^2}{\mu_0 \cdot \lambda}} \text{ ovvero } \lambda = \frac{\rho_0}{\mu_0 \cdot c} = 2.426308971 \cdot 10^{-12} \text{ metri}$$

this is equal to the Compton wave length of the electron

$$(28) \quad I_\rho = I_\epsilon$$

$$\sqrt{\frac{m \cdot c^3}{\rho_0}} = \sqrt{\epsilon_0 \cdot m \cdot c^3 \cdot f} \text{ ovvero } f = \frac{1}{\rho_0 \cdot \epsilon_0} = 1.235590612 \cdot 10^{20} \text{ Hertz}$$

where  $f$  is again related to the Compton wavelength of the electron. And the last equality, which is verified too, is

$$[29] \quad I_{\mu} = I_{\varepsilon}$$

$$\sqrt{\frac{m \cdot c^2}{\mu_0 \cdot \lambda}} = \sqrt{\varepsilon_0 \cdot m \cdot c^3 \cdot f} \quad \text{ovvero} \quad c \cdot \lambda \cdot f = \frac{I}{\mu_0 \cdot \varepsilon_0}$$

From this last equation it could be verified that the electron constitutes the first resonance of the vacuum.

In our previous work, mentioned above, we linked the quantized Hall effect resistance to the intrinsic electron resistance.

The formula

$$[30] \quad R = \rho \frac{l}{S}$$

becomes as follows for an electron.

$$[31] \quad R_e = \rho_e \frac{l_e}{S_e} = \frac{h}{q_e^2}$$

And is well known that:

$$[32] \quad l_e = r_e = \frac{\lambda_e}{2\pi} \quad S_e = \frac{\lambda_e^2}{\pi}$$

So

$$[33] \quad \rho_e = \frac{2 \cdot h \cdot \lambda_e}{q_e^2}$$

$$[34] \quad \frac{\rho_0}{\rho_e} = \alpha$$

$$[35] \quad \frac{\lambda_e}{\varepsilon_0 \cdot c} \cdot \frac{q_e^2}{2 \cdot h \cdot \lambda_e} = \alpha$$

And finally

$$[36] \quad q_e = \pm \sqrt{2 \cdot h \cdot \varepsilon_0 \cdot c \cdot \alpha}$$

From this equation one can conclude that the electric charge is always a function of the properties of the space. In this paper, two new properties of the space are introduced by applying a principle of symmetry.

Permittivity ( $\bar{\varepsilon}_0$ ) given in Farad per second, is an intrinsic characteristic of the space, linearly related to the variation (inversion) of the electric field:

$$[37] \quad \bar{\varepsilon}_0 = \frac{A^2 \cdot s^3}{Kg \cdot m^2}$$

The magnetic permeability ( $\bar{\mu}_0$ ) given in Henry per second is the intrinsic characteristic of space linearly related with the variation (inversion) of the magnetic field.

$$[38] \quad \bar{\mu}_0 = \frac{Kg \cdot m^2}{A^2 \cdot s^3}$$

From the electric point of view,  $\bar{\varepsilon}_0$  can be seen as the electric impulse over its energy, and exactly  $\bar{\mu}_0$  its inverse.

Considering the following relationships between both constants :

$$[39] \quad Z = \sqrt{\frac{\bar{\mu}_0}{\bar{\varepsilon}_0}}$$

$$ad. = \frac{I}{\sqrt{\bar{\varepsilon}_0 \cdot \bar{\mu}_0}}$$

If we equal the first expression, whose dimension is ohm, to the vacuum space impedance, and the

second one, which is dimensionless, to the fine structure constant, we get to determine the value of these two new properties:

$$\bar{\epsilon}_0 = \frac{1}{Z_0 \cdot \alpha}$$

(40)

$$\bar{\mu}_0 = \frac{Z_0}{\alpha}$$

#### Concluding remarks

- It is clear now our vision of the physical reality. The space is a physical entity and its electromagnetic properties are the basis of matter generation.
- The space is not only the empty container but an active part of the phenomena immersed in itself. It could be defined as a neutral charge.
- The space is not a mere empty stage.
- The space is made of the energy yielded by all the electromagnetic waves that have and are passing through it.
- The space could be seen as a neutral charge.
- The space has electric and magnetic properties.
- The space is a superconductor of all electromagnetic energy that passes through it.
- The electric and magnetic properties of the space are only dynamically linked.
- The electron and all the matter are resonance of the space.
- The electron constitutes the first resonance of the space.
- The proton is the resonance of the electron.
- The following nucleus are the following resonances of the electron in the space.
- The dark matter of the universe is the space.
- The matter is in dynamic equilibrium with the space.

